



CRA
THE PIPING PEOPLE





About Us.

Established in 2005, CRA has become a leading stockist of steel pipes, pipe fittings and flanges in the UAE. As an ISO 9001:2015-certified company and ADNOC-approved supplier, we specialize in providing high-quality stainless steel, duplex, super duplex, alloy and carbon steel products to clients worldwide.

Headquartered in a state-of-the-art facility in Dubai Industrial City with over 7,500 square meters of warehouse space and maintaining a significant presence in Abu Dhabi, we proudly serve long-standing clients across the globe. Our expertise encompasses project-based and emergency supply for industries such as oil and gas, water treatment and desalination, petrochemical, marine engineering and heavy fabrication.

At CRA, we are committed to upholding the highest standards of quality, fair practice and strict accountability, ensuring precision in delivery and exceptional service execution. With an extensive inventory, remarkable operational capacity and a dedicated delivery fleet, we consistently exceed expectations and deliver reliable results you can trust.

[#thepipingpeople](#)

Pipes

We Stock

| S T A I N L E S S T E E L | PIPES | STANDARD | SCHEDULE | 304/L | 316/L |
|---|-------------------------------|--------------------------|------------|-------------|-------------|
| | SEAMLESS | ASTM A312/ ASME SA312 | SCH10/10S | 0.50" - 16" | 0.50" - 16" |
| | | | SCH40S | 0.50" - 16" | 0.50" - 16" |
| | | | SCH80S | 0.50" - 16" | 0.50" - 16" |
| SCH120 | | | | 4" - 6" | |
| SCH160 | | | | 0.50" - 12" | |
| SCH80 | | | | 10" - 12" | |
| SCH XXS | | 0.50" - 6" | | | |
| WELDED EFW | ASTM A312/ ASME SA312 | SCH10/10S | 0.50" - 8" | 0.50" - 8" | |
| | | SCH40S/STD | 0.50" - 8" | 0.50" - 8" | |
| WELDED EFW 100% RT | ASTM A358/ ASME SA358 CL.1 | SCH10/10S | 10" - 24" | 10" - 24" | |
| | | SCH40S | 10" - 24" | 10" - 48" | |
| | | SCHSTD | | 26" - 48" | |

Materials conform to ASME B36.19 NACE MR0175/0103, ASTM A262 E & Hydrotested

BRANDS



We Also Supply

| ITEMS DESC. | STANDARD | GRADE | SIZE | SCHEDULE |
|-----------------------|---------------------------|----------------------------------|-------------|---------------|
| CARBON STEEL | A/SA 106, A/SA 53, API 5L | GRADE B | 0.50" - 24" | 40 - XXS |
| DUPLEX & SUPER DUPLEX | A/SA 815 | UNS 31803/32205, UNS 32750/60 | 0.50" - 12" | 10S, 40S, 80S |
| HIGH YIELD | API 5L | X52, 60, 65, 70 | 0.50" - 12" | 40 - XXS |
| LOW TEMP | A/SA 333 | GRADE 6 | 0.50" - 24" | 40 - XXS |
| ALLOY | A/SA 335 | GRADE 5, 11, 22,91 | 0.50" - 12" | 40 - XXS |

Flanges

| We Stock | | | | | BRANDS |
|--------------------------|-------------|-------------|-------------|-------------|--|
| FLANGES | TYPES | 304/L | 316/L | A105N | |
| BLIND RF/LRF/RTJ | #150 | 0.50" - 24" | 0.50" - 24" | 0.50" - 48" |        |
| | #300 | 0.50" - 10" | 0.50" - 20" | 0.50" - 36" | |
| | #600 | 1" - 8" | 0.50" - 12" | 0.50" - 20" | |
| | #900 | | 0.50" - 6" | 1" - 10" | |
| | #1500 | | 0.50" - 6" | 0.50" - 6" | |
| | #2500 | | 0.50" - 6" | 2" - 6" | |
| | PN10/PN16 | | 0.50" - 6" | 0.50" - 6" | |
| | PN10 | | 8" - 24" | 8" - 24" | |
| | PN16 | | 8" - 24" | 8" - 36" | |
| | PN25/PN40 | | 0.50" - 16" | 0.50" - 16" | |
| SLIP-ON RF | #150 | 0.50" - 24" | 0.50" - 24" | 0.50" - 24" | |
| | #300 | 0.50" - 12" | 0.50" - 24" | 0.50" - 24" | |
| | #600 | | 0.50" - 4" | 0.50" - 12" | |
| | PN10/PN16 | | 0.50" - 6" | 0.50" - 6" | |
| | PN10 | | 8" - 24" | 8" - 24" | |
| | PN16 | | 8" - 24" | 8" - 36" | |
| WELDNECK RF/LRF/RTJ | #150 | 0.50" - 24" | 0.50" - 24" | 0.50" - 48" | |
| | #300 | 0.50" - 12" | 0.50" - 24" | 0.50" - 24" | |
| | #600 | 0.50" - 12" | 0.50" - 12" | 0.50" - 24" | |
| | #900 | | 0.50" - 12" | 0.50" - 12" | |
| | #1500 | | 0.50" - 6" | 0.50" - 12" | |
| | #2500 | | 0.50" - 6" | 0.50" - 12" | |
| | PN10/PN16 | | 0.50" - 6" | 0.50" - 6" | |
| | PN10 | | 8" - 12" | 8" - 24" | |
| | PN16 | | 8" - 24" | 8" - 36" | |
| | PN25/PN40 | | 0.50" - 16" | 0.50" - 16" | |
| SOCKET WELD | #150 | 0.50" - 2" | 0.50" - 4" | 0.50" - 6" | |
| | #300 | 0.50" - 2" | 0.50" - 2" | 0.50" - 4" | |
| | #600 | 0.50" - 1" | 0.50" - 1" | 0.50" - 2" | |
| THREADED (NPT & BSPT) | #150 / #300 | | 0.50" - 2" | 0.50" - 6" | |
| | PN10 / PN16 | | 0.50" - 4" | 0.50" - 6" | |
| | PN25 / PN40 | | 0.50" - 2" | 0.50" - 6" | |

SCH 10S TO XXS
Materials conform to ASME B16.5, NACE MR0175/0103, ASTM A262 E & PMI tested

We Also Supply

| ITEMS DESC. | STANDARD | GRADE | SIZE |
|-----------------------|----------|-----------------|-------------|
| CARBON STEEL | A/SA 182 | F51, 53, 55, 60 | 0.50" - 12" |
| DUPLEX & SUPER DUPLEX | A/SA 694 | F52, 65 | 0.50" - 12" |
| HIGH YIELD | A/SA 350 | LF2 | 0.50" - 24" |
| LOW TEMP | A/SA 182 | F5, 11, 22, 91 | 0.50" - 12" |

Forged Fittings.

We Stock

| FORGED FITTINGS | TYPES | 304/L | 316/L | A105 |
|--|---------------------------------------|---|---|--|
| SOCKET WELD FITTINGS #3000 & #6000 | ELBOW (45D & 90D) CAP | 0.50" - 2" 0.50" - 1.50" | 0.50" - 4" 0.50" - 4" | 0.50" - 4" 0.50" - 4" |
| | COUPLING HALF FULL REDUCER | 0.50" - 2" 0.50" - 2" Upto 2" x 1" | 0.50" - 2" 0.50" - 4" Upto 2" x 1.50" | 0.50" - 2" 0.50" - 4" Upto 4" x 3" |
| | UNION TEE TEE REDUCER | 0.50" - 2" 0.50" - 2" Upto 1.50" x 1" | 0.50" - 4" 0.50" - 4" Upto 2.50" x 2" | 0.50" - 4" 0.50" - 4" Upto 4" x 3" |
| OLETS | WELDOLET THREADOLET SOCKOLET | 0.50" - 2" 0.50" - 2" 0.50" - 2" | 0.50" - 3" 0.50" - 3" 0.50" - 3" | 0.50" - 24" 0.50" - 4" 0.50" - 4" |
| THREADED FITTINGS #150, #3000 & #6000 | ELBOW (45D & 90D) CAP | 0.50" - 2" 0.50" - 2" | 0.50" - 4" 0.50" - 4" | 0.50" - 4" 0.50" - 4" |
| | COUPLING HALF FULL REDUCER | 0.50" - 2" 0.50" - 2" Upto 2" x 1.50" | 0.50" - 2" 0.50" - 4" Upto 2" x 1.50" | 0.50" - 4" 0.50" - 6" Upto 4" x 3" |
| | UNION TEE TEE REDUCER | 0.50" - 2" 0.50" - 2" Upto 2" x 1.50" | 0.50" - 4" 0.50" - 4" Upto 2" x 1.50" | 0.50" - 4" 0.50" - 4" Upto 4" x 3" |
| | PLUG (HEX/SQUARE/ROUND) | 0.50" - 2" | 0.50" - 3" | 0.50" - 4" |
| | NIPPLE (HEX/ROUND) | 0.50" - 2" | 0.50" - 4" | 0.50" - 4" |
| | CON & ECC SWAGE NIPPLE | 0.50" - 2" | 0.50" - 2" | 0.50" - 4" |

Materials conform to ASME B 16.11/ MSS SP-83,NACE MR0175/0103

BRANDS



We Also Supply

| ITEMS DESC. | STANDARD | GRADE | SIZE | SCH / THICKNESS |
|-----------------------|----------|-----------------|------------|-----------------|
| DUPLIX & SUPER DUPLIX | A/SA 182 | F51, 53, 55, 60 | 0.50" - 2" | #3000, #6000 |
| HIGH YIELD | A/SA 694 | F52, 65 | 0.50" - 2" | #3000, #6000 |
| LOW TEMP | A/SA 350 | LF2 | 0.50" - 2" | #3000, #6000 |
| ALLOY | A/SA 182 | F5, 11, 22, 91 | 0.50" - 2" | #3000, #6000 |

We can also supply ELBOWLETS, LATROLETS, BARREL NIPPLE, NIPOLET

Buttweld Fittings.

We Stock

| BUTTWELD FITTINGS | TYPES | 304/L | 316/L | A234 WPB |
|--|---|-------------|-------------|-------------|
| SEAMLESS SCH / THICKNESS SS & CS Upto Sch XXS | ELBOW Long Radius 45D Long Radius 90D Short Radius 90D | 0.50" - 16" | 0.50" - 16" | 0.50" - 24" |
| | | 0.50" - 14" | 0.50" - 24" | 0.50" - 24" |
| | | 0.50" - 12" | 0.50" - 16" | 0.50" - 20" |
| | CONCENTRIC REDUCER | 0.50" - 14" | 0.50" - 16" | 0.50" - 24" |
| | ECCENTRIC REDUCER | 0.50" - 12" | 0.50" - 12" | 0.50" - 24" |
| | TEE | 0.50" - 16" | 0.50" - 24" | 0.50" - 24" |
| | TEE REDUCER | 0.50" - 14" | 0.50" - 16" | 0.50" - 24" |
| CAP | 0.50" - 16" | 0.50" - 24" | 0.50" - 36" | |
| STUB ENDS | | 0.50" - 12" | | |
| WELDED (W) SCH / THICKNESS UPTO 80S | ELBOW Long Radius 45D Long Radius 90D Short Radius 90D | 14" - 16" | 14" - 16" | |
| | | 12" - 16" | 12" - 16" | |
| | | 12" - 16" | 12" - 16" | |
| TEE | 12" - 16" | 12" - 16" | | |

Materials conform to ASME B 16.9/MSS SP-43, NACE MR0175/0103

BRANDS



We Also Supply

| ITEMS DESC. | STANDARD | GRADE | SIZE | SCHEDULE |
|-----------------------|----------|----------------------------------|-------------|---------------|
| DUPLEX & SUPER DUPLEX | A/SA 815 | UNS 31803/32205, UNS 32750/60 | 0.50" - 12" | 10S, 40S, 80S |
| HIGH YIELD | A/SA 860 | WPHY 52, 60 | 0.50" - 12" | 40 - XXS |
| LOW TEMP | A/SA 420 | WPL6 | 0.50" - 24" | 40 - XXS |
| ALLOY | A/SA 234 | WP5, 11, 22, 91 | 0.50" - 12" | 40 - XXS |

Commitment to Quality & Safety.

Quality Assurance

At CRA, we prioritize delivering the highest quality products and services, ensuring complete customer satisfaction. Our Quality Management System is compliant with ISO 9001:2015 standards, reflecting our dedication to operational excellence and continuous improvement.



We are committed to:

Meeting and exceeding customer expectations with reliable and superior products.

Continuously improving our processes to enhance efficiency and maintain a competitive edge in the market.

Health, Safety & Environment (HSE) Policy

CRA is committed to maintaining a safe and healthy working environment for all employees, contractors and visitors. Regular risk assessments are conducted to identify and mitigate potential hazards in the workplace, and employees receive continuous training on health and safety practices relevant to their roles.

Workplace Safety Standards:

- ✓ Safety protocols are followed to prevent accidents, injuries and health risks.
- ✓ Employees are required to wear personal protective equipment (PPE) in designated areas.
- ✓ Emergency evacuation plans and fire drills are conducted regularly.

Employee Well-being: CRA provides access to first aid facilities and trained personnel. Rest breaks and ergonomic working conditions are implemented to prevent fatigue and stress.

Environmental Responsibility: The company follows sustainable practices, including responsible waste management, recycling and energy conservation. Employees are encouraged to reduce paper use and conserve water.

CRA adheres to all relevant health, safety and environmental laws and policies are periodically reviewed to ensure compliance.



Certifications

CRA is committed to maintaining the highest standards, and our certifications reflect our adherence to international benchmarks.





CRA Trading LLC

Dubai Industrial City,
Plot 5333461, Dubai, UAE

CRA Inox Pipes and Fittings LLC SPC

Our ADNOC-Approved Branch with ICV score of 60%

Al Hisn Zone, Al 'Irshan St
Abu Dhabi, UAE




+971 4 320 3450



sales@cra-me.com



cra-me.com



Scan
to view
the website

